

Electric Trash Pump

DV150IE

Overview:

The 6" suction x 6" discharge self-priming centrifugal DV150IE electric trash and sewage pump provides up to a maximum of 2,100 gallons per minute pumping and up to 135 feet of head. This pump is usually mounted on a skid and features the standard PowerPrime Clean Prime Venturi priming system which allows it to run continuously, unattended and even run dry.

Features:

- Continuous self-priming
- Runs dry unattended
- Compressor fitted to operate the air-ejector priming system
- 2 vane, 316 stainless steel, 11.2" impeller
- Suction lift up to 28ft.
- Hot Dip Galvanized Open Skids with fork lift tubes
- Four corner bolt down angles
- Stainless steel and Chrome pump end options
- 50hp 60Hz TEFC hostile duty dual voltage (230/460V)
- **Available as Class1 Div2 (C1D2)**
- Fitted 480 volt control panels are equipped with motor protection
- Panels are equipped with terminal blocks for remote float switches



Specs:

Maximum Flow	2,100 GPM
Maximum Head	135 feet
Pump Size	6" x 6"
Maximum Solids Handling	3 inches
Operating Speed	1,760 rpm
Dry weight	
Footprint	97" x 49"



Accessories:

- Spillguard
- Variable Frequency Drive



PUMPS • TANKS • FILTRATION • PIPE • SPILLGUARDS

Rain for Rent is a registered trademark of Western Oilfields Supply Company. Features and specifications are subject to change without notice.

Liquid Ingenuity.
800-742-7246
rainforrent.com



Rain for Rent

CURVE: 01-0133-02-36

PUMP : DV-150ie

IMPELLER & WEAR RINGS
316 S/S

ALL INFORMATION CONTAINED IN OR DISCLOSED BY THIS DOCUMENT IS CONSIDERED CONFIDENTIAL AND PROPRIETARY BY RAIN FOR RENT. ALL DISCLOSURES OF DESIGN INFORMATION AND REPRODUCTION OF THIS DOCUMENT AND ALL SALES RIGHTS ARE EXCLUSIVELY RESERVED BY AND TO RAIN FOR RENT AND OTHERS IS PROHIBITED WITHOUT THE PRIOR WRITTEN CONSENT OF RAIN FOR RENT

SUCTION
6"


DISCHARGE
6"

MAX. SPHERE
3"

IMPELLER
2 VANE

IMPELLER
11.2"

IMPELLER & WEAR RINGS
316 S/S



PUMP PERFORMANCE CURVES DO NOT INCLUDE CHECK VALVE LOSSES * POWER CURVES INCLUDE AIR COMPRESSOR POWER CONSUMPTION * FLOW PERFORMANCE IS BASED ON CLEAR WATER TESTING