## Overview:

The Analog Data Logger is a highperformance, LCD display data logger for performing monitoring applications.

#### Features:

- · Easy to install
- · LCD display screen
- Accepts 4 analog inputs
- Can log every minute for a year
- Can log any 4-20mA signal for reporting including flow data, pH,
  Turbidity (TSS), Pressure, and Temperature on Pumps and Tanks
- Battery operated
- Low power consumption
- Computer based program and setup
- USB interface
- Hard plastic construction



# Accessories:

- 4-20 mA Input Cables
- USB to Mini USB Communication Cable
- Operation Software Free Online

### Specs:

- Temperature Operating Range: -4°F to 158°F
- LCD: Visible from 32°F to 122°F
- Battery Life: 1 year with typical use (2 AAA 1.5V alkaline)
- Memory Size: 4 MB
- Weight: 3.79 oz
- Physical Dimensions: 4.25" x 2.13" x 1"





### **Logging Intervals**

	<u> </u>						ı
Ports Used	1 sec	10 sec	30 sec	1 min	5 min	10 min	15 min
1	22	220	660	1319	6597	13194	19792
2	11	110	330	660	3299	6597	9896
3	7.3	73.3	220	440	2199	4398	6597
4	5.5	55	165	330	1649	3299	4948

**Storage Capacity (Days)** 



Liquid Ingenuity 800-742-7246 rainforrent.com